

## **ANDEREN LIMITED**



Registered in England number 4514202

Wherever in the world quality matters



## Series 300 LPLT Filter Press

## (API Filter Press)

### **Description**

The Series 300 LPLT Filter Press is the most effective means of determining filtration properties of drilling fluids and cement slurries. All LPLT Filter Press assemblies consist of these items:

- mud reservoir mounted in a frame
- pressure assembly and regulator
- filter paper
- 25 ml graduated cylinder



### **Application**

Measuring filtration behavior and wall-cake building characteristics of a mud is essential to control The characteristics of filtrate, such as oil, water, or emulsion content are also important. The types and quantities of solids in the fluid and their physical and chemical interactions affect these characteristics. Temperature and pressure affect the physical and chemical interactions. Performing tests at both low pressure/low temperature and high pressure/high temperature is necessary, and these testing conditions require different equipment and techniques.

### **Specifications**

The basic filter press has a cell assembly constructed of stainless steel and includes the required screens and gaskets.

Working pressure is 100 psig and the filtering area is 7.1  $in_2$ , as specified in API Recommended Practice 13B-1 and 13B-2.



# **ANDEREN LIMITED**



Registered in England number 4514202

### Wherever in the world quality matters



#### **Basic LPLT Filter Press Assembly**

#### Part No. 207127 Basic Filter Press Assembly includes:

382950 — Base Cap w/ Tube, Stainless Steel 382949 — Top Cap, Stainless Steel 382948 — Cell Body, Stainless Steel


- 208255 Rubber Gasket (6)
- 208310 Screen, 60 Mesh
- 208626 Stop Mud Felt
- 208129 Frame Assembly
- 205868 Graduated Cylinder, Glass, 25 ml
- 206051 Filter Paper
- 102216847 Loctite® Thread Sealant 545, 0.5 ml
- 101983293 Fann Ruler

#### Part No. 208129 Frame Assembly includes:

- 208126 Bare Frame
- 209389 Threaded Insert
- 207444 Pin Roll, 3/32 x 3/8, Stainless Steel
- 208283 Rod Support
- 208459 Graduate Support
- 208349 Thumb Screw, 1/4-20 x 3/4, Stainless Steel
- 208424 T-Screw

#### **Items Not Included**

- Part No. 208649 Nitrogen Cylinder
- Part No. 208608 CO<sub>2</sub> Cartridges, 10/Box





207224 Filter Press w/ CO<sub>2</sub> Pressure Assembly

Registered in England number 4514202: VAT number GB 900 7819 34 Registered Office: Anderen Ltd 85 Blurton Road, Stoke-on-Trent, ST3 2BS, UK Tel: +44 (0) 1782 326027 Email: <u>info@ceramictestingequipment.co.uk</u> <u>www.ceramictestingequipment.co.uk</u> ©Anderen Ltd 2017



# **ANDEREN LIMITED**



Registered in England number 4514202

### Wherever in the world quality matters



#### **LPLT Filter Press Assemblies**

- Part No. 207173 Filter Press w/ Air Hose includes:
- 207127 Basic Filter Press
- 207929 Air Hose, 3 ft
- 208653 Bleeder Valve
- Part No. 207174 Filter Press w/ Regulator includes:
- 207127 Basic Filter Press
- 207929 Air Hose, 3 ft
- 102177087 Regulator Assembly
- Part No. 207224 Filter Press w/ CO<sub>2</sub> Pressure Assembly includes:
- 207127 Basic Filter Press
- 208647 CO<sub>2</sub> Pressure Assembly
- Part No. 207223 Filter Press w/ Nitrogen Regulator includes:
- 207127 Basic Filter Press
- 207929 Air Hose, 3 ft
- 208652 Nitrogen Regulator
- 208653 Bleeder Valve
- Part No. 207290 Dead-Weight Hydraulic Filter Press includes:
- 207127 Basic Filter Press
- 208594 Dead-Weight Hydraulic Assembly

#### Part No. 207503 Wall Mount Filter Press w/ CO2

#### **Pressure Assembly includes:**

- 205868 Graduated Cylinder, 25 ml
- 206051 Filter Paper, 100/Box
- 207391 Wall Mount Filter Press2
- 08647 CO<sub>2</sub> Pressure Assembly



Registered in England number 4514202: VAT number GB 900 7819 34 Registered Office: Anderen Ltd 85 Blurton Road, Stoke-on-Trent, ST3 2BS, UK Tel: +44 (0) 1782 326027 Email: <u>info@ceramictestingequipment.co.uk</u> <u>www.ceramictestingequipment.co.uk</u> @Anderen Ltd 2017